



Pilates References

**Updated July 2016*

*Compiled by PMA Research Committee Chair:
Sherri Betz, PT, GCS, CEEAA, PMA®-CPT*

PILATES REFERENCES (136)

Updated July 2016

*Newly added references in blue

Sherril R. Betz, PT, GCS, PMA®-CPT
Chair, PMA® Research Committee
PMA® Certified Pilates Teacher

Meta Analyses and Systematic Reviews (20)

Aladro-Gonzalvo AR, et al. (2013). Pilates-based exercise for persistent, non-specific low back pain and associated functional disability: a meta-analysis with meta-regression. [Review]. *Journal of bodywork and movement therapies* 17(1): 125-136.

[Barker AL, Bird ML, Talevski J. \(2015\) Effect of Pilates exercise for improving balance in older adults: a systematic review with meta-analysis. *Arch Phys Med Rehabil*. Apr;96\(4\):715-23. Review.](#)

Bullo V, et al. (2015). "The effects of Pilates exercise training on physical fitness and wellbeing in the elderly: A systematic review for future exercise prescription." *Prev Med* 75: 1-11.

Campos RR, et al. (2016). "The effect of the Pilates method on the physical conditioning of healthy subjects: a systematic review with meta-analysis." *J Sports Med Phys Fitness*. Jul-Aug;56(7-8):864-73.

Cancela J, et al. (2014). Effects of Pilates method in physical fitness on older adults. A systematic review. *European Reviews of Aging & Physical Activity* 11(2): 81-94.

Costa, LOPH, et al. (2012). Pilates for low-back pain. *Cochrane Database of Systematic Reviews* (12).

Cruz-Ferreira A et al. (2011) A Systematic Review of the Effects of Pilates Method of Exercise in Healthy People. *Arch Phys Med Rehabil* Dec;92:2071-81.

de Oliveira Francisco, C., et al. (2015). "Effects of Pilates method in elderly people: Systematic review of randomized controlled trials." *J Bodyw Mov Ther* 19(3): 500-508.

Giangregorio L. M, et al. (2015). Too Fit To Fracture: outcomes of a Delphi consensus process on physical activity and exercise recommendations for adults with osteoporosis with or without vertebral fractures. *Osteoporos Int* 26(3): 891-910.

Granacher U, et al. (2013). The importance of trunk muscle strength for balance, functional performance, and fall prevention in seniors: a systematic review. *Sports Med* 43(7): 627-641.

La Touche R, et al. (2007) Treating non-specific chronic low back pain through the Pilates Method. *J Bodywork Move Ther* Dec;12:364-70. (Systematic Review)

Lim EC, et al. (2011) Effects of Pilates-based exercises on pain and disability in individuals with persistent nonspecific low back pain: a systematic review with meta-analysis. *J Orthop Sports Phys Ther* Feb;41(2):70-80.

Mazzarino M, et al. (2015) "Pilates method for women's health: Systematic review of randomized controlled trials." *Arch Phys Med Rehabil*.

Miyamoto GC, Costa LO, Cabral CM. (2013). Efficacy of the Pilates method for pain and disability in patients with chronic nonspecific low back pain: a systematic review with meta-analysis. *Braz J Phys Ther* 17: 517-532.

Patti A, et al. (2015). Effects of Pilates exercise programs in people with chronic low back pain: a systematic review. *Medicine* 94(4): e383-e383.

Pereira LM, et al. (2011) Comparing the Pilates method with no exercise or lumbar stabilization for pain and functionality in patients with chronic low back pain: Systematic review and meta-analysis. *Clin Rehabil* Aug 19.

Posadzki P, et al. (2011) Pilates for low back pain: a systematic review. *Complement Ther Clin Pract* May;17(2):85-9.

Yamato TP, et al. (2015) Pilates for low back pain. *Cochrane Database Syst Rev*. Jul 2;(7):CD010265. Review.

Wells C et al. (2012) Defining Pilates exercise: A systematic review. *Complement Ther Med* Feb 2012.

Wells C, Kolt GS, Marshall P, Hill B, & Bialocerkowski A. (2013). Effectiveness of Pilates exercise in treating people with chronic low back pain: a systematic review of systematic reviews. *BMC Medical Research Methodology* 13(1), 7.

Randomized Controlled Trials (56)

Altan L, et al. (2009) Effect of Pilates training on people with fibromyalgia syndrome: a pilot study. *Arch Phys Med Rehabil* Dec;90(12):1983-8. (Randomized Controlled Trial)

Altan L, et al. (2012) Effect of Pilates training on people with ankylosing spondylitis. *Rheumatol Int* 32(7): 2093-2099.

Anderson BA. (2005) Randomized clinical trial comparing active versus passive approaches to the treatment of recurrent and chronic low back pain. *Dissertation submitted to University of Miami for doctoral thesis, Dec 2005.*

Angin E, Erden Z, Can F. (2015) The effects of clinical Pilates exercises on bone mineral density, physical performance and quality of life of women with postmenopausal osteoporosis. *J Back Musculoskelet Rehabil*. 2015;28(4):849-58.

Ashrafinia F, et al. (2015) Effect of Pilates exercises on postpartum maternal fatigue. *Singapore Med J*. Mar;56(3):169-73.

Barker AL, et al. (2015) Feasibility of Pilates exercise to decrease falls risk: A pilot randomized controlled trial in community-dwelling older people. *Clin Rehabil*. Sep 18.

Bird ML et al. (2012) A Randomized Controlled Study Investigation Static and Dynamic Balance in Older Adults After Training. *Arch Phys Med Rehabil* Jan; 93(1):43-9.

Borges J, et al. (2014). Pilates exercises improve low back pain and quality of life in patients with HTLV-1 virus: A randomized crossover clinical trial. *Journal of bodywork and movement therapies* 18(1): 68-74.

Campos de Oliveira L, Gonçalves de Oliveira R, Pires-Oliveira DA. (2015) Effects of Pilates on muscle strength, postural balance and quality of life of older adults: a randomized, controlled, clinical trial. *J Phys Ther Sci*. Mar;27(3):871-6.

Cancelliero-Gaiad Karina, M., et al. (2014). Respiratory pattern of diaphragmatic breathing and Pilates breathing in COPD subjects. *Revista Brasileira de Fisioterapia*_(Sao Carlos (Sao Paulo, Brazil) 18(4): 291-299. (Prospective, Randomized Crossover Trial)

Critchley DJ, et al. (2011) Effect of Pilates mat exercises and conventional exercise programmes on transversus abdominis and obliquus internus abdominis activity: pilot randomised trial. *Man Ther* Apr;16(2):183-9.

Cruz-Díaz D, et al. (2015) Effects of a six-week Pilates intervention on balance and fear of falling in women aged over 65 with chronic low-back pain: A randomized controlled trial. *Maturitas*. Dec;82(4): 371-6.

Cruz-Díaz D, et al. (2016) Short- and long-term effects of a six-week clinical Pilates program in addition to physical therapy on postmenopausal women with chronic low back pain: a randomized controlled trial. *Disabil Rehabil*. Jun;38(13):1300-8.

Cruz-Ferreira A et al. (2013) Does Pilates-Based Exercise Improve Postural Alignment in Adult Women? *Women & Health*. Aug; 53(6): 597-611. (Randomized Controlled Trial)

Culligan PJ, et al. (2010) A randomized clinical trial comparing pelvic floor muscle training to a Pilates exercise program for improving pelvic muscle strength. *Int Urogynecol J*. Apr;21(4):401-8.

da Costa LM, et al. (2016) Effect of the Pilates method on women with temporomandibular disorders: A study **protocol** for a randomized controlled trial. *J Bodyw Mov Ther*. Jan;20(1):110-4.

da Fonseca JL, et al. (2009) Laboratory gait analysis in patients with low back pain before and after a Pilates intervention. *J Sport Rehabil*. May;18(2):269-82.

da Luz MA, et al. (2013). Effectiveness of mat Pilates or equipment-based Pilates in patients with chronic non-specific low back pain: a protocol of a randomised controlled trial. *BMC Musculoskeletal Disorders* 14: 16-16.

Dale LM, Mikuski C, Miller J. (2015) Outcomes of a pilates-based intervention for individuals with lateral epicondylitis: A pilot study. *Work*;53(1):163-74. (Randomized Controlled Trial)

Donath L, Roth R, Hürlimann C, Zahner L, Faude O. (2016) Pilates vs. Balance Training in Health Community-Dwelling Seniors: a 3-arm, Randomized Controlled Trial. *Int J Sports Med*. Mar;37(3):202-10.

Gabizon H, Press Y, Volkov I, Melzer I. (2015) The Effects of Pilates Training on Balance Control and Self-Reported Health Status in Community Dwelling Older Adults: A Randomized Controlled Trial. *J Aging Phys Act*. Nov 4.

Donzelli S, et al. (2006) Two different techniques in the rehabilitation treatment of low back pain: a randomized controlled trial. *Eura Medicophys* 42:205-10.

Dunleavy K, et al. (2015) Comparative effectiveness of Pilates and yoga group exercise interventions for chronic mechanical neck pain: quasi-randomised parallel controlled study. *Physiotherapy*. Aug 13. pii: S0031-9406(15)03808-0.

Eyigor S, et al. (2010) Effects of Pilates exercises on functional capacity, flexibility, fatigue, depression and quality of life in female breast cancer patients: a randomized controlled study. *Eur J Phys Rehabil Med* May 6.

Fourie M, et al. (2013). Effects of a mat Pilates programme on body composition in elderly women. *West Indian Med J* 62(6): 524-528. (Randomized Controlled Trial)

Gladwell V, et al. Does a Program of Pilates Improve Non-Specific Low Back Pain? *J Sport Rehabil* 15, 338-350. (Randomized Controlled Trial)

Guimararaes GV, et al. (2011) Pilates in Heart Failure Patients: A Randomized Controlled Pilot Trial. *Cardiovasc Ther* Jul 10.

Hagen S, et al. (2014). A multicentre randomised controlled trial of a pelvic floor muscle training intervention for the prevention of pelvic organ prolapse (PREVPROL). *Neurourology and Urodynamics* 33(6): 852-853.

Irez GB, et al. (2011). Integrating Pilates Exercise into an Exercise Program for 65+ Year-Old Women to Reduce Falls. *Journal of Sports Science & Medicine* 10(1): 105-111(Randomized Controlled Trial)

Jago R, et al. (2006) Effect of 4 weeks of Pilates on the body composition of young girls. *Preventive Medicine* 2006. (Randomized Controlled Trial)

Johnson, et al. (2007) The effects of Pilates-based exercise on dynamic balance in healthy adults." *Journal of Bodywork and Movement Therapies* 11(3): 238-242. (Randomized Controlled Trial)

[Kibar S, et al. \(2015\) Is Pilates exercise program effective on balance, flexibility and muscle endurance? Randomized, controlled study. *J Sports Med Phys Fitness*. Oct 16.](#)

Kovach MV. (2013) Effects of Pilates and aqua fitness training on older adults' physical functioning and quality of life. *Biomedical Human Kinetics* 5, 22-27. (Randomized Controlled Trial)

Kucukcakir N, et al. (2013). Effects of Pilates exercises on pain, functional status and quality of life in women with postmenopausal osteoporosis. *J Bodyw Mov Ther* 17(2): 204-211. (Randomized Controlled Trial)

Manshoury M, et al. (2014). Effects of Pilates Exercises on Flexibility and Volleyball Serve Skill in Female College Students. *Sport Scientific & Practical Aspects* 11(2): 19-25. (Randomized Controlled Trial)

Marandi SM, et al. (2013). A comparison between Pilates exercise and aquatic training effects on muscular strength in women with Multiple Sclerosis. *Pakistan Journal of Medical Sciences* 29(1 SUPPL.): 285-289. (Randomized Controlled Trial)

Marinda F, et al. (2013). Effects of a mat Pilates program on cardiometabolic parameters in elderly women. *Pakistan Journal of Medical Sciences* 29(2): 500-504. (Randomized Controlled Trial)

[Markovic G, Sarabon N, Greblo Z, Krizanic V. \(2015\) Effects of feedback-based balance and core resistance training vs. Pilates training on balance and muscle function in older women: a randomized-controlled trial. *Arch Gerontol Geriatr*. Sep-Oct;61\(2\):117-23.](#)

Marshall PWM, et al. (2013). Pilates exercise or stationary cycling for chronic nonspecific low back pain: Does it matter? A randomized controlled trial with 6-month follow-up. *Spine* 38(15): E952-e959.

Mendonça TM, et al. (2013). Effects of Pilates exercises on health-related quality of life in individuals with juvenile idiopathic arthritis. *Arch Phys Med Rehabil* 94(11): 2093-2102. (Randomized Prospective Single-Blind Controlled Trial)

[Mesquita LS, et al. \(2015\) Effects of two exercise protocols on postural balance of elderly women: a randomized controlled trial. *BMC Geriatr*. Jun 2;15:61. doi: 10.1186/s12877-015-0059-3.](#)

Miyamoto GC, et al. (2011) The efficacy of the addition of the Pilates method over a minimal intervention in the treatment of chronic nonspecific low back pain: a study **protocol** of a randomized controlled trial. *Journal of Chiropractic Medicine* 10, 248-254.

Miyamoto GC, et al. (2013). Efficacy of the addition of modified Pilates exercises to a minimal intervention in patients with chronic low back pain: a randomized controlled trial. *Physical Therapy* 93(3): 310-320.

Miyamoto GC, et al. (2016) Effectiveness and Cost-Effectiveness of Different Weekly Frequencies of Pilates for Chronic Low Back Pain: Randomized Controlled Trial. *Phys Ther.* Mar;96(3):382-9.

Mostagi, et al (2015). Pilates versus general exercise effectiveness on pain and functionality in non-specific chronic low back pain subjects. *Journal of Bodywork and Movement Therapies* Oct;19(4):636-45. (Randomized Controlled Trial)

Natour J, et al. (2015). Pilates improves pain, function and quality of life in patients with chronic low back pain: a randomized controlled trial. *Clinical Rehabilitation* 29(1): 59-68.

Quinn K, et al. (2011). Do patients with chronic low back pain benefit from attending Pilates classes after completing conventional physiotherapy treatment? *Physiotherapy Practice and Research* 32(1):5-12. (Randomized Controlled Trial)

Pedriali FR, et al. (2016) Is pilates as effective as conventional pelvic floor muscle exercises in the conservative treatment of post-prostatectomy urinary incontinence? A randomised controlled trial. *Neurourol Urodyn.* Jun;35(5):615-21.

Pinto JS, et al. (2015) Effectiveness of conventional physical therapy and Pilates' method in functionality, respiratory muscle strength and ability to exercise in hospitalized chronic renal patients: A study **protocol** of a randomized controlled trial. *J Bodyw Mov Ther.* Oct;19(4):604-15.

Rosu MO, et al. (2014). Effects of Pilates, McKenzie and Heckscher training on disease activity, spinal motility and pulmonary function in patients with ankylosing spondylitis: A randomized controlled trial. *Rheumatol Int* 34(3): 367-372.

Rydeard R, et al. Pilates-based therapeutic exercise: effect on subjects with nonspecific chronic low back pain and functional disability: a randomized controlled trail. *Journal of Orthopedic and Sports Physical Therapy* 36:472-84.

Sekendiz B, et al. (2007) Effects of Pilates exercise on trunk strength, endurance and flexibility in sedentary adult females. *J Bodywork Move Ther* Jan; 11: 318-26. (Randomized Controlled Trial)

Siqueira Rodrigues BG, et al. (2010) Pilates method in personal autonomy, static balance and quality of life of elderly females. *J Bodyw Mov Ther* Apr;14(2):195-202. (Randomized Controlled Trial)

Stolze LR, et al. (2012) Derivation of a Preliminary Clinical Prediction Rule for Identifying a Subgroup of Patients With Low Back Pain Likely to Benefit from Pilates-Based Exercise. *J Ortho Sport Phys Ther* May; 42(5):425-36.

Vécseyné MK, et al. (2013) Effects of Pilates and aqua fitness training on older adults' physical functioning and quality of life. *Biomedical Human Kinetics.* 5(1):22-27. (Randomized Controlled Trial)

Yu JH, et al. (2012) Effect of core stability training using Pilates on lower extremity muscle strength and postural stability in healthy subjects. *Isokinetics and Exercise Science* 20: 141-146. (Randomized Controlled Trial)

Non-Randomized Controlled Trials (3)

Alves de Araújo MEA, et al. (2011) The effectiveness of the Pilates method: Reducing the degree of non-structural scoliosis, and improving flexibility and pain in female college students. *J Bodywork Move Ther* May 2011. (Non-Randomized Controlled Trial)

Hyun J, et al. (2014) The effects of Pilates mat exercise on the balance ability of elderly females. *J Phys Ther Sci* 26(2): 291-293. (Non-Randomized Controlled Trial)

Rogers K, Gibson AL (2009) Eight-Week Traditional Mat Pilates Training-Program Effects on Adult Fitness Characteristics. *Research Qtr Ex Sport* Sept; 80(3):569-574. (Non-Randomized Controlled Trial)

Descriptive, Observational and Pre-Post Design Studies (46)

Andrade LS, et al. (2015). Application of Pilates principles increases paraspinal muscle activation. *Journal of Bodywork & Movement Therapies* 19(1): 62-66.

Barbosa AWC, et al. (2015). The Pilates breathing technique increases the electromyographic amplitude level of the deep abdominal muscles in untrained people. *Journal of Bodywork & Movement Therapies* 19(1): 57-61.

[Bergamin M, et al. \(2015\) Effects of a Pilates exercise program on muscle strength, postural control and body composition: results from a pilot study in a group of post-menopausal women. *Age \(Dordr\)*. Dec;37\(6\):118.](#)

Bernardo LM. (2007) The effectiveness of Pilates training in healthy adults: An appraisal of the research literature. *Journal of Bodywork and Movement Therapies* 11(2): 106-110.

Bird ML, and Fell J. (2014). Positive long-term effects of Pilates exercise on the aged-related decline in balance and strength in older, community-dwelling men and women. *J Aging Phys Act* 22(3): 342-347.

Bo K, et al. (2011) Urinary incontinence among group fitness instructors including yoga and Pilates teachers. *Neurourol Urodyn* Mar;30(3):370-3.

Caldwell K, et al. (2009) Effect of Pilates and taiji quan training on self-efficacy, sleep quality, mood, and physical performance of college students. *J Bodywork Move Ther* 13: 155-63.

[Cantergi D, et al. \(2015\) Muscle strategies for leg extensions on a "Reformer" apparatus. *J Electromyogr Kinesiol*. Apr;25\(2\):260-4.](#)

[Çelik D, Turkel N. \(2015\) The effectiveness of Pilates for partial anterior cruciate ligament injury. *Knee Surg Sports Traumatol Arthrosc*. Aug 1.](#)

Coleman TJ, et al. (2015). Intra-abdominal pressure during Pilates: unlikely to cause pelvic floor harm. *Int Urogynecol J*.

Curi-Perez, et al. (2014) Analysis of activities in the daily lives of older adults exposed to the Pilates Method. *Journal of Bodywork & Movement Therapies* 18(3): 326-331.

- Curnow D, et al. (2009) Altered motor control, posture, and the Pilates method of exercise prescription. *J Bodywork Move Ther* 13: 104-11.
- Emery K, et al. (2010) The effects of a Pilates training program on arm-trunk posture and movement. *Clin Biomech* (Bristol, Avon). Feb;25(2):124-30.
- Endleman I, Critchley DJ. (2008) Transversus abdominis and obliquus internus activity during Pilates exercises: measurement with ultrasound scanning. *Archives of Physical Medicine and Rehabilitation* 89(11): 2205-12.
- English T, et al. (2007) The Effect of Pilates Exercise on Trunk and Postural Stability and Throwing Velocity in College Baseball Pitchers: Single Subject Design. North American Journal of Sports Physical Therapy : NAJSPT 2(1): 8-21.
- Ferla L, Paiva LL, Darki C, Vieira A. (2016) Comparison of the functionality of pelvic floor muscles in women who practice the Pilates method and sedentary women: a pilot study. *Int Urogynecol J*. Jan;27(1):123-8.
- Garcia-Soidan JL, et al. (2014). Does Pilates Exercise Increase Physical Activity, Quality of Life, Latency and Sleep Quantity in Middle-Aged People? *Perceptual & Motor Skills* 119(3): 838-850.
- Geremia JM, et al. (2015) Effect of a physical training program using the Pilates method on flexibility in elderly subjects. *Age (Dordr)*. Dec;37(6):119.
- Giacomini MB, da Silva AM, Weber LM, Monteiro MB. (2016) The Pilates Method increases respiratory muscle strength and performance as well as abdominal muscle thickness. *J Bodyw Mov Ther*. Apr;20(2):258-64.
- Hagner-Derengowska M, et al. (2015) Effects of Nordic Walking and Pilates exercise programs on blood glucose and lipid profile in overweight and obese postmenopausal women in an experimental, nonrandomized, open-label, prospective controlled trial. *Menopause*. Nov;22(11):1215-23.
- Halis F, et al. (2016) Pilates for Better Sex: Changes in Sexual Functioning in Healthy Turkish Women After Pilates Exercise. *J Sex Marital Ther*. May 18;42(4):302-8.
- Herrington L, Davies R. (2005) The Influence of Pilates Training on the Ability to Contract the Transversus Abdominis Muscle in Asymptomatic Individuals. *Journal of Bodywork and Movement Therapies* Volume 9, Issue 1, January 2005, Pages 52-57.
- Hwang Y, Park J, Lim K. (2015) Effects of Pilates Exercise on Salivary Secretory Immunoglobulin A Levels in Older Women. *J Aging Phys Act*. Dec 14.
- Kao YH, et al. (2015) Effects of a 12-week Pilates course on lower limb muscle strength and trunk flexibility in women living in the community. *Health Care Women Int*. 36(3):303-19. (Non-randomized controlled trial)
- Klein GR, et al. (2007) Return to Athletic Activity after Total Hip Arthroplasty. *J Arthroplasty* 22(2):171-5.
- Kolar P, et al. (2009) Analysis of Diaphragm Movement during Tidal Breathing and during its Activation while Breath Holding Using MRI Synchronized with Spirometry. *Physiol Res* 58: 383-92.

Küçük F, Livanelioglu A. (2015) Impact of the clinical Pilates exercises and verbal education on exercise beliefs and psychosocial factors in healthy women. *J Phys Ther Sci*. Nov;27(11):3437-43. (Non-randomized controlled trial)

Kuo YL, et al. (2009). Sagittal spinal posture after Pilates-based exercise in healthy older adults. *Spine* 34(10): 1046-1051.

Leopoldino AAO, et al. (2013) Effect of Pilates on sleep quality and quality of life of sedentary population *Journal of Bodywork & Movement Therapies* 17, 5e10.

Lynch JA, et al. (2009) Effect on performance of learning a Pilates skill with or without a mirror. *J Bodyw Mov Ther* Jul;13(3):283-90.

Marques NR, et al. (2013). EMG activity of trunk stabilizer muscles during Centering Principle of Pilates Method. *Journal of Bodywork and Movement Therapies* 17(2): 185-191.

Martins-Meneses DT, et al. (2015) Mat Pilates training reduced clinical and ambulatory blood pressure in hypertensive women using antihypertensive medications. *Int J Cardiol*. Jan 20;179:262-8. (Non-randomized, controlled trial)

Menacho MO, et al. (2010) Electromyographic effect of mat Pilates exercise on the back muscle activity of healthy adult females. *J Manipul Physiol Therapeut* 33(9): 672-8.

Newell D, et al. (2012) Changes in gait and balance parameters in elderly subjects attending an 8-week supervised Pilates programme. *J Bodywork Move Ther* Mar 2012.

Notarnicola A, et al. (2014) Daily Pilates exercise or inactivity for patients with low back pain: a clinical prospective observational study. *Eur J Phys Rehabil Med* 50(1): 59-66.

Pata RW, et al. (2014) The effect of Pilates-based exercise on mobility, postural stability, and balance in order to decrease fall risk in older adults. *Journal of Bodywork and Movement Therapies* 18(3): 361-367.

Queiroz BC, et al. (2010) Muscle activation during four Pilates core stability exercises in quadruped position. *Arch Phys Med Rehabil* Jan;91(1):86-92.

Segal NA, Hein J, Basford JR. (2004) The effects of Pilates training on flexibility and body composition: an observational study. *Arch Phys Med Rehabil* 85(12):1977-81; Dec 2004.

Silva GB, et al. (2015) Electromyographic activity of rectus abdominis muscles during dynamic Pilates abdominal exercises. *J Bodyw Mov Ther*. Oct;19(4):629-35.

Stieglitz DD, Vinson DR, Hampton Mde C. (2016) Equipment-based Pilates reduces work-related chronic low back pain and disability: A pilot study. *J Bodyw Mov Ther*. Jan;20(1):74-82.

van Hilst J, et al. (2015) Low back pain in young elite field hockey players, football players and speed skaters: Prevalence and risk factors. *J Back Musculoskelet Rehabil*. 28(1):67-73.

Vaquero-Cristóbal R, et al. (2015) The Effects of the Pilates Method on Hamstring Extensibility, Pelvic Tilt and Trunk Flexion. *Nutr Hosp*. Nov 1;32(5):1967-86. Spanish (Literature Review)

Vaquero-Cristóbal R, et al. (2015) The effects of a reformer Pilates program on body composition and morphological characteristics in active women after a detraining period. *Women Health*. Nov 19:1-23.

Vaquero-Cristóbal R, et al. (2015) The effects of 16-weeks Pilates mat program on anthropometric variables and body composition in active adult women after a short detraining period. *Nutr Hosp. Apr* 1;31(4):1738-47. doi: 10.3305/nh.2015.31.4.8501. (Spanish)

von Sperling de Souza M, Brum Vierra C. (2006) Who are the people looking for the Pilates method? *Journal of Bodywork and Movement Therapies* Volume 10, Issue 4, Pages 328-334.

Yu KK, et al. (2015). Interrater reliability of a Pilates movement-based classification system. *Journal of Bodywork & Movement Therapies* 19(1): 160-176.

Case Reports (5)

Blum CL. (2002) Chiropractic and Pilates therapy for the treatment of adult scoliosis. *Journal of Manipulative and Physiological Therapeutics* Vol 25 (4)May 2002, pp 1-15.

Keays KS, et al (2008) The effects of Pilates exercises on shoulder range of motion, pain, mood, and upper-extremity function in women living with breast cancer. A pilot study. *Physical Therapy* Vol. 88(4):494-510.

Levine B, et al. (2009) Pilates Training for Use in Rehabilitation after Total Hip and Knee Arthroplasty: A Preliminary Report. *Clin Orthop Relat Res* 467:1468-75.

Moon JH, Hong SM, Kim CW, Shin YA. (2015) Comparison of deep and superficial abdominal muscle activity between experienced Pilates and resistance exercise instructors and controls during stabilization exercise. *J Exerc Rehabil.* Jun 30;11(3):161-8. (Retrospective Case-Control Study)

Oliveira LC, et al. (2016) Effects of the Pilates method on variables related to functionality of a patient with traumatic spondylolisthesis at L4-L5: A case study. *J Bodyw Mov Ther.* 2016 Jan;20(1):123-31

Stivala A, and Hartley G. (2013). The Effects of a Pilates-Based Exercise Rehabilitation Program on Functional Outcome and Fall Risk Reduction in an Aging Adult Status-Post Traumatic Hip Fracture due to Fall. *J Geriatr Phys Ther* Nov 25.

Yang YM, et al. (2010) Spontaneous diaphragmatic rupture complicated with perforation of the stomach during Pilates. *Americ Jour Emerg Med* 28:259.e1-259.e3.

Expert Opinions and Literature Reviews (11)

Anderson BA, Spector A. (2000) "Introduction to Pilates-Based Rehabilitation" *Orthopedic PT Clinics of North America* 9:3, Sept 2000, pp. 395-410.

Bernardo LM. (2007). The effectiveness of Pilates training in healthy adults: An appraisal of the research literature. *J Bodywork Move Ther* 11:106-10.

Betz SR. (2005) Modifying Pilates for Osteoporosis. *IDEA Fitness Journal* April; pp. 47-55.

Cozen DM. (2000). Use of Pilates in foot and ankle rehabilitation. *Sports Medicine and Arthroscopy Review* 8 (4), 395-403.

Duschatko, DM. (2000). Certified Pilates and gyrotonic trainer...frozen shoulder. *Journal of Bodywork and Movement Therapies* 4 (1):13-19.

Levine B, et al. (2007) Rehabilitation after total hip and knee arthroplasty: a new regimen using Pilates training. *Bull NYU Hosp Jt Dis* 65(2):120-5.

McNeill W. (2011) Decision making in Pilates. *J Bodywork Move Ther* 15:103-7.

Muscolino JE, Cipriani S (2004) Pilates and the “powerhouse” – I. *J Bodywork Move Ther* 8:15-24.

Muscolino JE, Cipriani S (2004) Pilates and the “powerhouse” – II. *J Bodywork Move Ther* 8:122-130.

Niehues JR, Gonzáles I, Lemos RR, Haas P. Pilates Method for Lung Function and Functional Capacity in Obese Adults. *Altern Ther Health Med*. 2015 Sep-Oct;21(5):73-80. (Literature Review)

Sorosky S et al. (2008) Yoga and Pilates in the management of low back pain. (Literature Review)
Current Review Musculoskeletal Medicine 1:39-47.